

ureza
GRANITO

1200x2400_{mm}

MIGHTY SIZE



2023 / 24

WE CREATE

Colossal


PRODUCT RANGE



1200
X
2400
mm

MIGHTY SIZE

A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.



ILLUMINATING SPACES WITH THE GRAND SIZE
OF TILES AND ITS UNIQUE DESIGNS



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains



Wide range


*




GALAXY STATUARIO (BOOK MATCH) BOOK MATCH A+B




*



GRONZA WHITE BOOK MATCH A+B



*




ALTIMO WHITE (BOOK MATCH) BOOK MATCH A+B




*



COVELANO LASA (BOOK MATCH) BOOK MATCH A+B



*



BROCKEN BRECIA (BOOK MATCH) BOOK MATCH A+B



* 



BRECCIA MONET BOOK MATCH A+B



* 



CHIFFON BEIGE BOOK MATCH A+B



*



BETHANY BLUE BOOK MATCH A+B



*




ALONZO BLUE 8 FACE BOOK MATCH

*



ELITE BLACK BOOK MATCH A+B






PATAGONIA BOOK MATCH

BOOK MATCH A+B



AERON GREY

BOOK MATCH A+B





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains



Wide range

*




STATUARIO BELGIA (CONTINUE)

3 FACE CONTINUE



*




STATUARIO AFYON

3 FACE CONTINUE




*




PACIFIC WHITE

4 FACE CONTINUE




*



EMBER WHITE

3 FACE CONTINUE





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range

*




HOIST WHITE

3 FACE CONTINUE




*



GLORIOUS WHITE (CONTINUE)

3 FACE CONTINUE



*




ATLANTIC WHITE (CONTINUE)

2 FACE CONTINUE




*



IMPACT STATUARIO (CONTINUE)


3 FACE CONTINUE






BETEL WHITE

2 RANDOM



STATUARIO GOLD

3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range



ATLANTIC WHITE

2 RANDOM



SUMMER WHITE


4 RANDOM



Ready To Load




WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE



M 1001


1 RANDOM



WALL : M 1001



ALEX CALACAITA 3 RANDOM



ONYX LUXURY 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



ZED ONYX ICE 4 RANDOM



ZED ONYX CLASSIC 4 RANDOM





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to storms



Wide range



REGAL NATURAL 3 RANDOM



REGAL BEIGE 3 RANDOM



ELIZA BEIGE 3 RANDOM



VICTORIA BEIGE 4 RANDOM





TRAVENTINO CREMA 2 RANDOM



DYNA SUPREME 2 RANDOM





LAVANET BEIGE 3 RANDOM



BERLIM BEIGE 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



DEVCI CREMA 2 RANDOM



DEVCI GREY 2 RANDOM





BRECCIA BEIGE 3 RANDOM




BRECCIA LAVA 2 RANDOM



FLOOR : BRECCIA BEIGE


*



BRECCIA CAPRAIA 4 RANDOM



*



ARENA DUNE 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range


*




PORTORO GOLD 2 RANDOM



*



PORTORO 2 RANDOM





SONATA WHITE 3 RANDOM



SONATA BRONZE 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains



Wide range



TITANIUM BROWN 3 RANDOM



TITANIUM NATURAL 3 RANDOM





BIANCO LASA 2 RANDOM



LEVANTO BROWN 4 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range



LEVANTO LIGHT 4 RANDOM



LEVANTO NATURAL 4 RANDOM






ARMANI BEIGE 2 RANDOM



ARMANI GOLD 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range



ARMANI GREY 2 RANDOM



ARMANI GRIS 2 RANDOM





WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE


*




FOREST BROWN 2 RANDOM




*



TOPAZ BROWN 1 RANDOM



* 



PATAGONIA 3 RANDOM



*



EXOTIC WHITE 2 RANDOM






TURKE LANA 1 RANDOM



CRISTIAN STONE 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range



ICE BERG BLUE 3 RANDOM



ARISTONE CEROBÉ 2 FACE CONTINUE





TRAVENTINO BEIGE

1 RANDOM



*



SEMOND PAUL

2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range

*



TRIESTA NOIR

3 RANDOM




*



RAINBOW BROWN

2 RANDOM





BLACK RIVER 4 RANDOM



AZUL CIELO 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads





Resistant to stains




Wide range



NERO MARQUINA 3 RANDOM




SAHARA BLACK 2 RANDOM







NARDO GREY 2 RANDOM




PALETHORN 3 RANDOM





SUMMER WHITE 4 RANDOM



REGAL NATURAL 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to storms



Wide range



ORION CREMA 4 RANDOM



ORION WHITE 4 RANDOM



Ready To Load



RIZ CEDAR 2 RANDOM



RIZ SILVER 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads





Resistant to storms




Wide range



CAPRON CREMA 3 RANDOM



CAPRON GREY 3 RANDOM





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



MEXXO SIENNA 4 RANDOM



MEXXO LIGHT 4 RANDOM




TUNA ROCK ICE 2 RANDOM



TUNA ROCK GREY 2 RANDOM





SENTILIA BROWN 1 RANDOM



DUST 4 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains



Wide range



MILANO SILVER 3 RANDOM



MILANO GREY 3 RANDOM






CORTEX CEDAR 2 RANDOM



CORTEX AZURE 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range



SANDUNE CAFE 1 RANDOM



ROOST WOOD 1 RANDOM





Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



MULBERRY WOOD DECOR

1 RANDOM



LENOX WOOD

2 RANDOM



MEPAL WOOD BROWN

5 RANDOM



MEPAL WOOD

5 RANDOM





BURBERRY BEIGE 2. RANDOM



BURBERRY BROWN 2. RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



BURBERRY GREY 2. RANDOM





STUCCO BEIGE 2 RANDOM




CORTEN BEIGE 2 RANDOM




FLOOR : STUCCO BEIGE



RUBY QUARTZ SEAL 4 RANDOM



RUBY QUARTZ ASH 4 RANDOM



LURENT BROWN 5 RANDOM




LURENT BLUE 5 RANDOM





BRECCIA MARINO LATTE

2 RANDOM



BRECCIA MARINO NATURAL

2 RANDOM



BRECCIA MARINO ASH

2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range

TECHNICAL SPECIFICATION OF VITRIFIED TILE

TEST DESCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rupture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles of 7.5bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9mm	1 pcs.	2.88 sq. mtr.	60 kg